



SPILLTECH

SpillTech
5440 McGinnis Village Place
Suite 102
Alpharetta, GA 30005
Phone: 1-800-228-3877
Fax: 1-800-872-3764
www.spilltech.com

MATERIAL SAFETY DATA SHEET

SECTION I: IDENTIFICATION OF PRODUCT

PRODUCT NAME: MR2069 - StitchBonded Matting

Company Profile:

SpillTech
Brookley Industrial Complex
1627 O'Donoghue Street
Mobile, AL 36615

Customer Service Telephone Number: 1-800-228-3877

Technical Information Telephone Number: 1-251-694-0102 ext.121

SECTION II: HAZARDOUS INGREDIENTS

<u>INGREDIENTS</u>	<u>PERCENT</u>	<u>CAS NUMBER</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polypropylene	>97%	9003-07-0	N/A	N/A
Grey Pigment	<0.3%	Mixture	N/A	N/A

SECTION III: HAZARDS IDENTIFICATION

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATING:

HEALTH: 0
FLAMMABILITY: 1
REACTIVITY: 0

*Not considered a hazardous material at temperatures below melting point. Not considered a controlled substance or a carcinogen.

SECTION IV: FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes. Consult a physician if irritation persists.
SKIN CONTACT: N/A
INHALATION: N/A
INGESTION: N/A

SECTION V: FIRE FIGHTING MEASURES

FLASH POINT: N/A
AUTO IGNITION: 440° C (825° F)
FLAMMABLE LIMITS: N/A
FIRE EXTINGUISHING MEDIA: That which is compatible with liquids absorbed
SPECIAL FIRE FIGHTING PROCEDURES: Wear a self-contained Breathing Apparatus and refer to spilled liquid(s) MSDS
UNUSUAL FIRE AND EXPLOSION HAZARDS: Carbon monoxide, carbon dioxide, acrolein, ketones, aldehydes and other unidentified organic compounds may be formed upon combustion. Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the MSDS for the chemical absorbed before proceeding

SECTION VI: ACCIDENTAL RELEASE MEASURES

If material is unused, sweep or pick up and dispose of as a non-hazardous material. Product is fabric and the roll may be very heavy. Use caution in the event of spill on uneven ground. Use suitably rated lifting equipment in the event a roll needs to be moved.

SECTION VII: HANDLING AND STORAGE

Handling and Storage Precautions: None
Storage Temperature: Store in a cool, dry area.
Storage Pressure: N/A
Shelf Life - Indefinitely - as long as product is kept in a clean, dry place away from direct sunlight.
General: Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the MSDS for the chemical absorbed before proceeding

SECTION VIII: EXPOSURE CONTROLS/ PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: None Required
VENTILATION: None Required
PROTECTIVE GLOVES: Not normally required. However, use of cloth, canvas or leather gloves is good industrial practice.
EYE PROTECTION: Safety glasses with side shields is good industrial practice
OTHER PROTECTIVE EQUIPMENT (SPECIFY): None Required

SECTION IX: PHYSICAL DATA

APPEARANCE AND ODOR:	Gray & virtually odor free
SPECIFIC GRAVITY:	0.905
BOILING POINT (C):	Not Applicable
MELTING POINT (C):	160° C (320° F)
SOLUBILITY IN WATER:	Insoluble
PERCENT VOLATILE BY VOLUME:	N/A
EVAPORATION RATE:	N/A
VAPOR PRESSURE (mm Hg):	N/A
VAPOR DENSITY (Air = 1):	N/A

SECTION X: TRANSPORT INFORMATION

DOT CLASSIFICATION: Non Hazardous

SECTION XI: WASTE XI DISPOSAL METHOD

Disposal must be done in accordance with local, state and federal regulations based on chemicals adsorbed by products.

Sorbents will take on the characteristics/properties of whatever liquid is absorbed. Therefore, all measures must be taken as if you were handling the liquid itself. Sorbents do not make the liquid less hazardous. Always refer to the MSDS for the chemical absorbed before proceeding.

SECTION XII: PREPARATION

The information contained herein is given in good faith, but no warranty, expressed or implied, is made.

DATE ISSUED: April 29, 2002

REVIEWED (no changes): February 2014

PREPARED BY: Robin Thornett, SpillTech, Telephone Number: 1-800-228-3877.