

1. Product And Company Identification

Product Identifier: Floor Grabber™ High Traffic Carpet Mat Item Number: NRT25H-GY

General Use: Floor Grabber[™] High Traffic Carpet Mat is designed to stay in place and prevent carpets from sliding around and becoming a trip hazard. The poly backing will keep liquids from reaching the floor and the top surface is designed to withstand heavy foot and cart traffic.

Product Description: Black, gray, brown and burgundy adhesive-backed absorbent mat with needle punched surface used in high traffic areas.

COMPANY PROFILE: SpillTech 1627 O'Donoghue Street Mobile, AL 36615 Information Number 1-800-228-3877

EMERGENCY TELEPHONE: 24 hrs, 7 days/week 770-929-6609

Website: www.spilltech.com

Email: sales@spilltech.com

2. Hazards Identification

GHS Classification: Not a dangerous substance according to GHS

POTENTIAL HEALTH EFFECTS:

Eve Contact: No hazard in normal use of product Ingestion: No hazard in normal use of product Inhalation: No hazard in normal use of product Skin Contact: Not applicable Chronic: Not applicable

3. Composition/Information on Ingredients

CAS: 25038-59-9 Polyester (PET) Fiber

CAS: Mixture Adhesive

CAS: 9003-07-0 Polyethylene film

4. First Aid Measures

Eye Contact: Not applicable Ingestion: Not applicable Inhalation: Not applicable Skin Contact: Not applicable

5. Fire Fighting Measures

Extinguishing Media: <u>Unused form</u>: water, chemical foam, dry chemical or carbon dioxide. Used form: that which is compatible to liquid(s) absorbed.

Special Fire Fighting Procedures: Wear a self-contained breathing apparatus and refer to absorbed liquid(s) SDS(s). Hazardous Combustion Products: Treat as a solid that burns generally with low smoke density.

Unusual Hazards: Contact with molten material should be treated as a thermal burn. Seek medical attention for all burns. particularly if in the facial area. Refer to absorbed liquid(s) SDS(s). The Floor Grabber[™] High Traffic Carpet Mat does not render liquids nonflammable, neutral or less hazardous.

6. Accidental Release Measures

Spill or Leak Procedures: If material is unused, sweep or pick up and dispose of as a non-hazardous material.

7. Handling and Storage

Handling Precautions: Treat as a solid that can burn. Storage Precautions: Store in a cool, dry place, away from oxidizing agents. Shelf Life: Grabber[™] adhesive film: ~ 2 years, as long as product is kept in a clean, dry place away from direct sunlight.

General: Refer to absorbed liquid(s) SDS(s). The container can be hazardous when empty. Follow label cautions even after the container is empty. Do not re-use empty containers for food, clothing or products for human or animal consumption, or where skin contact can occur.

8. Exposure Controls/Personal Protection

Engineering Controls: None required PERSONAL PROTECTION

Eyes: Safety glasses with side shields is a good industrial practice

Respirator: Not required.

Gloves: Not normally required. However, use of cloth, canvas or leather gloves is a good industrial practice. Other: None required.

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

EXPOSURE LIMITS 8 hrs. TWA (ppm) OSHA PEL

ACGIH TLV

None



9. Physical and Chemical Properties

Appearance: Black, gray, brown and burgundy adhesive-backed absorbent mat Odor: No odor Odor Threshold: Not applicable pH: Not applicable MELTING POINT/Freezing Point: Polyester fiber: 496°F (258°C) Initial Boiling Point and Range: Not applicable Flash Point: Not applicable Method: Not applicable Evaporation Rate: Not applicable Flammable Limits: Not applicable Conditions of Flammability: Not established Explosive Properties: Not applicable Vapor Pressure: Not applicable Vapor Density: Not applicable Relative Density (H₂0 = 1): Not established Solubility in Water: Insoluble Auto Ignition Temperature: Not established Coefficient of Water/Oil Distribution: Not available

10. Stability and Reactivity

General: This is a stable material. Conditions of Reactivity: Not established Incompatible Materials: Strong oxidizing agents. Conditions to Avoid: Not applicable Hazardous Decomposition: CO, CO2, and small amounts of aliphatic and aromatic hydrocarbons. Hazardous Polymerization: Will not occur

11. Toxicological Information

LD50: Not available LC50: Not available Carcinogenicity: IARC: Not established National Toxicology Program: Not listed OSHA: Not established California Prop 65: No listed ingredient Reproduction Toxicity: Not available Teratogenicity: Not available Mutagenicity: Not available Synergistic Products: Not available Irritancy of Product: See Section 2. Sensitization to Product: Not available

12. Ecological Information

No data available

13. Disposal Considerations

Waste Disposal Method: If unused, no special precautions are necessary. Dispose of in accordance with federal, state and local regulations. In certain types of cleanup applications, the nature of the material recovered will classify the resulting spent material as a hazardous component. In such instances the material should be disposed of via an approved hazardous waste disposal service and the appropriate manifesting obtained.

14. Transport Information

DOT (Department of Transportation): Proper Shipping Name: Not regulated Hazard Class: Not regulated Identification Number: Not applicable

15. Regulatory Information

CERCLA (Comprehensive Environmental Response Compensation and Liability Act): No Reportable Quantity OSHA Hazard Communication Standard, 29 CFR 1910.1200: No listed ingredient SARA Title III (Superfund Amendments and Reauthorization Act): No listed ingredient TSCA (Toxic Substances Control Act): Ingredients of this product are on the Inventory list. DSL (Canadian Domestic Substances List): All components of this product are on the Canadian DSL.

16. Other Information

Prepared by: Dale Gatehouse, Entreprises Krenda Inc. Approved by: Robin Thornett, SpillTech Approval Date: June 25, 2021 SDS Number: SDS126

The following is in lieu of all warranties, expressed or implied: All information provided is based on testing and data believed to be accurate.