

## HazMat 5-Gallon Pouch Spill Kit #SPKHZ-5OP - Absorbs up to 2.2 Gallons



Unknown or hazardous liquids? No problem. Transporting bottles, vials or containers is easy and safe with this HazMat Pouch Kit.

### SPKHZ-5OP Specifications

**Includes:**

- 1 - 5 gal. Plastic Pouch with Absorbent Inner Layer (OP210)
- 1 - 8" Pouch Tie (150006)
- 1 - 4" x 4" Flammable Liquid Label (A-LABELS)
- 1 - 4" x 4" Flammable Solid Label (A-LABELS)
- 1 - 4" x 4" Corrosive Label (A-LABELS)
- 1 - 4" x 4" Oxidizer Label (A-LABELS)
- 1 - 6" x 6" Hazardous Waste Label (A-LABELS)
- 1 - 12" x 16.75" White 5-Gallon OverPack (1H2/Y1.5/30) (A5OVER)
- 6 - 6" x 2" TamperProof Seal (A-SEAL)



**SpillTech**

Online:  
[spilltech.com](http://spilltech.com)

Phone:  
**1-800-228-3877 (N.Am.)**  
**1-770-475-3877 (Other)**

Fax:  
**1-800-872-3764 (N.Am.)**  
**1-770-410-1812 (Other)**

Email:  
[sales@spilltech.com](mailto:sales@spilltech.com)

## SPKHZ-5OP Technical Information

### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

### Regulations and Compliance:

49 CFR 173.3(c)(2) - The area between a container and a salvage drum used for overpacking must have "sufficient cushioning and absorption material to prevent excessive movement of the damaged package and to eliminate the presence of any free liquid at the time the salvage drum is closed."

49 CFR 173.3(c)(1) - If a container of hazardous waste is damaged or leaking, it can be placed in a compatible salvage drum that meets UN criteria for shipping

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 263.30(a) - In the event of a spill, transporters must, "take appropriate immediate action to protect human health and the environment."

29 CFR 1910.1450(e) - OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

29 CFR 1910.120(j)(1) - Under an OSHA requirement, "DOT-specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur."

### Technical Documents:

(Available at [spilltech.com](http://spilltech.com))

Product Data Sheet (PDS)

Safety Data Sheet (SDS)



Online:  
[spilltech.com](http://spilltech.com)

Phone:  
**1-800-228-3877 (N.Am.)**  
**1-770-475-3877 (Other)**

Fax:  
**1-800-872-3764 (N.Am.)**  
**1-770-410-1812 (Other)**

Email:  
[sales@spilltech.com](mailto:sales@spilltech.com)