

# Oil-Only Contractor Grade Sock/Net Boom #WB820SN - 8" x 20', 2 booms/package



Take control of outdoor spill response with Oil-Only Booms.

- Poly-blend filler repels water while only absorbing oil and other hydrocarbons
- Connectors link booms together to create a containment system big enough to handle almost any spill size
- Provides quick, efficient cleanup to help protect the environment from contaminants; suited for short-term use
- Filler color may vary. Color has no effect on performance. However, if you would prefer all white filler, please see our Premium Boom line under item numbers PREM510 (5" x 10') and PREM810 (8" x 10')

## **WB820SN Specifications**

**Dimensions:** ext. dia. 8" x 20' L **Shipping** 23" W x 23" L x 23" H

**Dimensions:** 

Sold as: 2 booms per package

Color: May vary

**Composition:** Poly Blend Filler/Polyester

Netting/Metal Hardware

Recycled Content: 100% Post-Industrial Recycled Poly

Blend Filler

Absorbency: Up to 38 gal. per package
Absorbency per: Up to 19 gal. per boom

Weight: 32 lbs. # per Pallet: 12 Incinerable: Yes Ship Class: 175

# **Metric Equivalent Specifications**

**Dimensions:** ext. dia. 20cm x 6.1m L **Shipping** 58cm W x 58cm L x 58cm H

**Dimensions:** 

**Absorbency:** Up to 143.8 L per package **Absorbency per:** Up to 71.9 L per boom

Weight: 14.5 kg



Online: spilltech.com

Phone: 1-800-228-3877 (N.Am.) 1-770-475-3877 (Other) Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other) Email: sales@spilltech.com

## **WB820SN Technical Information**

### Warnings & Restrictions:

Color Variance Notice Color may vary.

## **Regulations and Compliance:**

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7(c)(1) - Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

33 CFR 154.1047(c)(2) - Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.

### **Technical Documents:**

(Available at **spilltech.com**)
Product Data Sheet (PDS)

Safety Data Sheet (SDS)

