Oil-Only Contractor Grade Sock/Net Boom #WB820SN - 8" x 20', 2 booms/package



Take control of outdoor spill response with Oil-Only Booms.

- Poly-blend filler repels water while only absorbing oil and other hydrocarbons
- Connectors link booms together to create a containment system big enough to handle almost any spill size
- Provides quick, efficient cleanup to help protect the environment from contaminants; suited for short-term use
- Filler color may vary. Color has no effect on performance. However, if you would prefer all white filler, please see our Premium Boom line under item numbers PREM510 (5” x 10’) and PREM810 (8” x 10’)

WB820SN Specifications

Dimensions:	ext. dia. 8" x 20' L
Shipping Dimensions:	23" W x 23" L x 23" H
Sold as:	2 booms per package
Color:	May vary
Composition:	Poly Blend Filler/Polyester Netting/Metal Hardware
Recycled Content:	100% Post-Industrial Recycled Poly Blend Filler
Absorbency:	Up to 38 gal. per package
Absorbency per:	Up to 19 gal. per boom
Weight:	32 lbs.
# per Pallet:	12
Incinerable:	Yes
Ship Class:	175

Metric Equivalent Specifications

Dimensions:	ext. dia. 20cm x 6.1m L
Shipping Dimensions:	58cm W x 58cm L x 58cm H
Absorbency:	Up to 143.8 L per package
Absorbency per:	Up to 71.9 L per boom
Weight:	14.5 kg

Online: **spilltech.com**

Phone: **1-800-228-3877 (N.Am.)** **1-770-475-3877 (Other)**

Fax: **1-800-872-3764 (N.Am.)** **1-770-410-1812 (Other)**

Email: **sales@spilltech.com**

6455 East Johns Crossing, Suite 375 • Johns Creek GA 30097

© 2024 SpillTech Environmental Corporation. All rights reserved.

WB820SN Technical Information

Warnings & Restrictions:
Color Variance Notice
Color may vary.

Regulations and Compliance:
40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation…so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

40 CFR 112.7(c)(1) - Facilities must have "appropriate containment and/or diversionary structures to prevent discharge oil from reaching a navigable water course."

33 CFR 154.1047(c)(2) - Concerning navigation and navigable waters, a facility which handles, stores or transports Group V petroleum oils must identify response plan resources such as containment booms and other methods.

Technical Documents:
(Available at **spilltech.com**)

Product Data Sheet (PDS)
Safety Data Sheet (SDS)

© 2024 SpillTech Environmental Corporation. All rights reserved.