

# IBC Hard Top #IBCHT-ND - Without Drain 1/package



Comply with regulations while storing IBC tanks outdoors.

- NOTE: The Item number for this product has recently changed from ULT1162 to IBCHT-ND. Please make a note of it.
- Upper roll-top cover and swing out lower doors combine to allow easy and convenient access to IBC
- Low-profile containment pallet allows safe material handling and dispensing
- Forkliftable, lockable, all-polyethylene design will not rust or corrode
- Also available with drain plug (IBCHT-WD) to let you empty sump without relocating stored containers

## **IBCHT-ND Specifications**

Dimensions:	62" W x 64.5" L x 96" H
Shipping	65" W x 68" L x 98" H
Dimensions:	
Sold as:	1 per package
Color:	Yellow
Composition:	100% Polyethylene
Load Capacity UDL:	8500 lbs. per package
Sump Capacity:	360 gal. per package
Weight:	620 lbs.
# per Pallet:	1
Incinerable:	No
Ship Class:	250

## Metric Equivalent Specifications

Dimensions:	157cm W x 164cm L x 244cm H
Shipping	165cm W x 173cm L x 249cm H
Dimensions:	
Load Capacity UDL:	3855.6 kg per package
Sump Capacity:	1362.6 L per package
Weight:	281.2 kg







Email: sales@spilltech.com

# **IBCHT-ND** Technical Information

### Warnings & Restrictions:

There are no known warnings and restrictions for this product.

#### **Regulations and Compliance:**

40 CFR 264.175 - Hazardous waste containment systems must be free of structural cracks or gaps; designed to keep spilled liquids from remaining in contact with the container; prevent run-on and "have sufficient capacity to contain 10% of the volume of the containers or the volume of the largest container, whichever is greater." For example, four 55-gallon drums require secondary containment of 55 gallons.

40 CFR 122.26 - Facilities must have a detailed plan in place to prevent illegal discharge of pollutants into waterways.

### **Technical Documents:**

(Available at spilltech.com) Product Data Sheet (PDS)



Online: spilltech.com



Fax: 1-800-872-3764 (N.Am.) 1-770-410-1812 (Other) Email: sales@spilltech.com