

Universal Foil Bag Spill Kit #SPKU-FOILB - Absorbs up to 4.8 Gallons



Be prepared for fast response with a SpillTech® Universal Spill Kit!

- Packed with quality SpillTech® products to help you clean up fast and comply with regulations
- Includes a variety of sorbents to handle smaller spills of oils, coolants, solvents or water that truckers encounter on a regular basis
- Self-contained, compact Kit provides easy access when quick response is necessary
- Heat-sealed bag allows you to determine if the kit has been used or not
- Bag is puncture-proof, water- and UV-resistant



SpillTech

Online:
spilltech.com

Phone:
1-800-228-3877 (N.Am.)
1-770-475-3877 (Other)

Fax:
1-800-872-3764 (N.Am.)
1-770-410-1812 (Other)

Email:
sales@spilltech.com

SPKU-FOILB Specifications

Metric Equivalent Specifications

Dimensions:	21" W x 7.5" D x 20" L
Shipping Dimensions:	19" W x 19" L x 7" H
Sold as:	1 per package
Absorbency:	Up to 4.8 gal. per package
Weight:	5.21 lbs.
# per Pallet:	100
Incinerable:	No
Ship Class:	175
Includes:	15 - 15" X 19" Gray Universal Sorbent Pads (GPB200S) 3 - 3" X 4' Gray Universal Sorbent Socks (GSO430) 2 - 18" X 30" Yellow Disposal Bag & Tie (A-DISP BAG-SM) 1 - Pair Nitrile Gloves (A-GLV-NIT) 1 - Safety Goggles (A-GOG) 1 - 20" X 21" X 7.5" Foil Bag (A-FOILB)

Dimensions:	53cm W x 19cm D x 51cm L
Shipping Dimensions:	48cm W x 48cm L x 18cm H
Absorbency:	Up to 18.2 L per package
Weight:	2.4 kg

SPKU-FOILB Technical Information

Warnings & Restrictions:

There are no known warnings and restrictions for this product.

Regulations and Compliance:

40 CFR 263.31 - Transporters, "must clean up any hazardous waste discharge that occurs during transportation...so that the hazardous waste discharge no longer presents a hazard to human health or the environment."

40 CFR 263.30(a) - In the event of a spill, transporters must, "take appropriate immediate action to protect human health and the environment."

29 CFR 1910.1450(e) - OSHA requires containment and cleanup materials for spills in laboratories to reduce occupational exposure to hazardous chemicals.

29 CFR 1910.120(j)(1) - Under an OSHA requirement, "DOT-specified salvage drums or containers and suitable quantities of proper absorbents shall be kept available and used in areas where spills, leaks, or ruptures may occur."

Technical Documents:

(Available at spilltech.com)

Product Data Sheet (PDS)



SpillTech

Online:
spilltech.com

Phone:
1-800-228-3877 (N.Am.)
1-770-475-3877 (Other)

Fax:
1-800-872-3764 (N.Am.)
1-770-410-1812 (Other)

Email:
sales@spilltech.com